



Casing 38-40-43-46-50-55mm; Range 38-55
Socket Polycarbonat obliquely
Artikel:103930 / Price 186,00 Euro / pcs.




Casing 28-26-24-22-20-18-14 mm; Range 28-14
Socket Steel 1.4301 VA obliquely
Artikel:103918 / Price 196,00 Euro / pcs.




Casing 16-17-18-19-20-21-22-23-24-26-28mm;
Socket Polycarbonat obliquely
Artikel:203344 / Price 226,00 Euro / pcs.



Casing 40-36-34-32-30-28-26 mm; Range 40-26
Socket Steel 1.4301 VA obliquely
Artikel:101706 / Price 186,00 Euro / pcs.



Casing 23-24-25-26-27-28-30 mm; Range 23-30
Socket Steel 1.4301 VA obliquely
Artikel:213839 / Price 196,00 Euro / pcs.



Casing 18-19-20-21-22-23-24-25 mm; Range 18-25
Socket Steel 1.4301 VA obliquely
Artikel:213838 / Price 196,00 Euro / pcs.



Pos.1 casing selecting tape AM II ½ inch for hog and beef casings
121,00 Euro /pcs.

Pos.2 casing selecting tape AM I ½ inch for sheep beef casings
121,00 Euro /pcs.

Pos.3 casing cutter on plastic foot and stainless steel knife
110,00 Euro/pcs.

orders with an order value of 850,- EUR or more will offer a discount of 5% !!!

all prices net, ex works Elmshorn / package and postage extra (normal or by airmail)



Schnellkontakt


JIM GmbH

Fritz-Strassmann-Str. 8
25337 Elmshorn


Tel: +49 (0) 4121 / 83151

E-Mail: info@jim-gmbh.de







Sockel aus Plexiglas
Sockelform: gerade / schräg
foot material: plexiglas
foot style: straight / sloping



Sockel aus Edelstahl
Sockelform: gerade / schräg
foot material: stainless steel
foot style: straight / sloping



Messwert am Körper des Bediener:
Abb. Links = größter
Abb. Rechts = kleinster
measuring range to the body of worker:
Picture Left = biggest
Picture Right = smallest




letzter Zinken ohne Beschriftung:
Abb. Links = vom Körper des Arbeiters weg
Abb. Rechts = am Körper des Arbeiters

last teeth without marking:
Picture Left = away from body of worker
Picture Right = near body of worker

Schweinsdärme

Bund á 100 yards

| |
|----------|
| -/26 mm |
| 26/28 mm |
| 28/30 mm |
| 30/32 mm |
| 32/34 mm |
| 34/36 mm |
| 36/40 mm |
| 40/+ mm |




Därme des Schweines

* nicht verwendbar

Schafsdärme

Bund á 100 yard

| |
|----------|
| 14/16 mm |
| 16/18 mm |
| 18/20 mm |
| 20/22 mm |
| 22/24 mm |
| 24/26 mm |
| 26/28 mm |
| 28/+ mm |




Därme des Hammels

* nicht verwendbar

Kranzdärme

Bund á 18 m*

| |
|----------|
| -/30 mm |
| 30/32 mm |
| 32/35 mm |
| 35/37 mm |
| 37/40 mm |
| 40/43 mm |
| 43/46 mm |
| 46/+ mm |



Därme des Rindes

Mitteldärme

Bund á 10 m

| |
|----------|
| -/40 mm |
| 40/45 mm |
| 45/50 mm |
| 50/55 mm |
| 55/60 mm |
| 60/65 mm |
| 65/70 mm |
| 70/+ mm |